

Fig. 1 PRIOR ART




Fig. 2




Fig. 3




Fig. 4




Fig. 5





Fig. 6



0902657-062801


108290-25926860

Title: COMMUNICATION SYSTEM
CAPABLE OF REDUCING
COMMUNICATION LOAD
Inventor(s): Ryuhei FUJIWARA
DOCKET NO.: 074273-0191

Fig. 7

FOLDER NAME	FUNCTIONAL ATTRIBUTE	ACTUATION ATTRIBUTE	CONDITION	FILE NAME
A	SYNCHRONIZATION	PERIOD	FOR EACH HOUR	F ₁
B	SYNCHRONIZATION	PERIOD	FOR EACH HOUR	F ₂
C	SYNCHRONIZATION	REAL TIME		F ₃
D	SYNCHRONIZATION	MANUAL		F ₄
E	TRANSFER	SPECIFICATION TIME	3:25	F ₅

Fig. 8



09892657.062804

Fig. 9

226

MAIL SETTING


MAIL SERVER PATROL TIME: EVERY 5 MINUTES

USUAL COMMUNICATION TIME INTERVAL: EVERY HOUR

EMERGENT COMMUNICATION FILTER: kabu@xx. co. jp

09892657-062801

Fig. 10



0989257.062801

Fig. 11




Fig. 12




Fig. 13




Fig. 14

TERRITORY GUIDE SERVICE SETTING MENU

CORRESPONDING TERRITORY	GUIDE CONTENT
<input type="radio"/> SINJUKU	<input type="radio"/> GENERAL
<input type="radio"/> SIBUYA	<input type="radio"/> RESTAURANT
<input type="radio"/> TOKYO	<input type="radio"/> DEPARTMENT STORE
<input type="radio"/> YOKOHAMA	<input type="radio"/> BOOK STORE

PREVIOUS


NEXT

PREVIOUS

NEXT

09892657-062801

Fig. 15



108290-25926860